CLASSIFICATION RESTRICTED CENTRAL INTELLIGENCE AGENCY

INFORMATION FROM FOREIGN DOCUMENTS OR RADIO BROADCASTS

REPORT CD NO.

COUNTRY

SUBJECT

Economic - Agriculture, cotton

DATE OF INFORMATION

1953

STAT

HOW

Γ

PUBLISHED

Daily newspaper

China

DATE DIST. 5 Nov 1953

WHERE

PUBLISHED Tientsin NO. OF PAGES

PUBLISHED

2, 12 Aug 1953

SUPPLEMENT TO

Chinese LANGUAGE

REPORT NO.

THE UNITED STATES. BITHIN THE MEANING OF TITLE 19. SECTIONS 7 ATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON THE REPRODUCTION OF THES FORE

THIS IS UNEVALUATED INFORMATION

SOURCE

Ta Kung Pao

ABUNDANT COTTON CROP TO MEET NEEDS OF CHINESE TEXTILE INDUSTRY

Summary: A good yield of cotton is expected in Shantung, Kiangsu, and Szechwan. Men are being trained to grade cotton, and contracts are being made for the ginning of the new crop. Since cotton of superior quality is being furnished the Shanghai mills, they are now able to supply a higher grade of cotton

COTTON GROWING WELL IN SHAMFUNG, KIANGSU AND SZECHMAN -- Tientsin, Ta Kung-pao, 2 Aug 53

Tsinan, 29 July, (Hsin-hua.) Cotton plants all over Shantung Province are growing well, most of them being from 19 inches to $2^{\rm h}$ inches high. In the Pohai Plain in Te-chou and Hui-min Special Administrative Districts there are 7,700,000 mou of cotton with thick stalks and large leaves and uniform height just ready to blossom. In the Te-chou Special Administrative District State Farm, the 50 mou of cotton averages 27 or 28 bolls per plant. In the Te-chou Special Administrative District, 70 percent of the cotton planted was of the "wu ai" or "er pi" variety with an average of 3,000 plants per mou, or 600 more than last year.

Nanking, 20 July (Hsin-hau) -- In Kiangsu, the 9 million mov of cotton planted is growing well. Most of the cotton is 17 or 18 inches high, and the early cotton is 24 inches or more.

STAT

CLASSIFICATION

RESTRICTED

- 1 -

			UL.	nooii ionii	OIT		 			
STATE	П	NAVY	T.	NSRB		DISTRIBUTION	1		Π	Т
ARMY 's	П	AIR		FB1				-	Π	Т

RESTRICTED

Chieng-tu, 19 July (Hsin-hau) -- In Szechwan, 3,600,000 mou of cotton plants are doing well. In the Fu Chieng valley on about one million mou the cotton is 24 inches high. In Sui-ning Hsien of Szechwan many plants have stalks bearing 14 to 15 branches with four or five bolls on each branch. Unless some disaster occurs there will be a good cotton harvest throughout the whole of Szechwan Provinces.

NORTH CHINA PREPARES TO GRADE AND GIN COTTON -- Tientsin, Ta Kung Pao, 12 Aug 53

Peiping, 10 August (Hsin-hau) -- North China ranks first in cotton production in China. The area planted in 1953 was about the same as in 1952, but it is estimated that the production per unit will be higher than in 1952. For example, in Hopeh Province, a 3.9 percent increase is expected over the previous year.

In May and June all the provincial cooperatives of North China started to train workers to grade cotton. In Hopeh Province 4,000 people were given this instruction. The training of cadres for grading cotton was also emphasized by all the Printed Cotton Manufacturing Companies and the North China Fiber Testing Bureau.

Samples of graded cotton were made up by a committee organized by the Associated Cooperatives of North Chana, the Fiber Testing Bureau and other like units. Large quantities of these samples will be sent to all cotton-purchasing stations as models for grading.

Preparations for cotton ginning are being made by all the cooperatives whose cotton-buying units have made contracts with the 678 gins in North China belonging to national, cooperatives, and private companies. These gins have 3,700 power balers and 48,600 hand balers. The Association of Cooperatives of North China has called an area-wide conference, to study cotton-processing techniques that will assure a high-grade product.

SHANGHAI MILLS GET IMPROVED NATIVE COTTON -- Tientsin, Ta Kung Pao, 12 Aug 53

Shanghai, 19 August (Hsin-hau) -- The cotton mills of Shanghai are being supplied with a larger amount and a better grade of native cotton than formerly. An assured plentiful supply of raw cotton will prevent any such closing of the mills as occured for $1\frac{1}{2}$ months in 1951 from lack of raw material.

The raw cotton is markedly improved in quality. Before liberation, the cotton produced in China was all coarse in texture with comparatively short fibers. It also contained much trash and a high percentage of moisture. The cotton fibers were not of uniform length and unsuitable for use by the cotton mills.

Improved varieties of cotton such as the "ch i" type in the Yellow River Basin and the "te" and "tai" types in the Yangtze River Basin produce a fibre that is long, fine in texture, soft and white. The tensile strength is good.

In buying cotton, the cooperatives follow the policy of high prices for high-grade cotton and so induce the farmers to sell cotton according to grade. The East China Cotton Testing Offices has reported that almost all the raw cotton is up to the required standard as far as moisture and adulteration are concerned. Some is even better than the required standard.

STAT



- 2 -

Γ				
		ço - mo	RESTRICTED	
		fiber used in Shan	is plentiful supply and better grad ghai mills for manufacturing No 20 .675 inches to almost one inch. Do .42 and No 60 cotton thread for the	yarn has improved from an
		And Ar . I		
	·			
		•	and the second	

STAT



, - 3 -

RESTRICTED